

4.14
WHAT IS CLAIMED IS:

1. ~~A breather system for a fuel tank comprising:~~

a plurality of openings provided in the fuel tank;

5 breather hoses respectively connected to the openings;

a collecting pipe integrally connecting the breather hoses; and

a check valve connected to an ambient side of the collecting pipe,

wherein the plurality of openings are provided on opposite sides of the fuel tank so as to be spaced apart from each other.

2. The breather system for a fuel tank according to Claim 1, further comprising:

a catch tank interposed between the collecting pipe and the check valve,

wherein the catch tank is provided integrally with the check valve.

20
25
30
35
40
45
50
55
60
65
70
75
80
85
90
95
100
105
110
115
120
125
130
135
140
145
150
155
160
165
170
175
180
185
190
195
200
205
210
215
220
225
230
235
240
245
250
255
260
265
270
275
280
285
290
295
300
305
310
315
320
325
330
335
340
345
350
355
360
365
370
375
380
385
390
395
400
405
410
415
420
425
430
435
440
445
450
455
460
465
470
475
480
485
490
495
500
505
510
515
520
525
530
535
540
545
550
555
560
565
570
575
580
585
590
595
600
605
610
615
620
625
630
635
640
645
650
655
660
665
670
675
680
685
690
695
700
705
710
715
720
725
730
735
740
745
750
755
760
765
770
775
780
785
790
795
800
805
810
815
820
825
830
835
840
845
850
855
860
865
870
875
880
885
890
895
900
905
910
915
920
925
930
935
940
945
950
955
960
965
970
975
980
985
990
995

3. A straddle-type four wheeled all terrain vehicle, comprising:

a body frame constituting the vehicle's body;

a straddle-type seat mounted to an upper portion of the body frame;

a fuel tank placed below the seat; and

5 a breather system for the fuel tank, wherein the breather system includes:

a plurality of breather openings provided in an upper portion of the fuel tank such that they are spaced apart from each other on right and left sides of the vehicle;

breather hoses respectively connected to the breather openings;

10 a collecting pipe integrally connecting the breather hoses; and

a check valve connected to an ambient side of the collecting pipe.

4. The straddle-type four wheeled all terrain vehicle according to Claim 3, wherein an ambient-side opening end of the check valve communicates with a space in the frame of a pipe shape so as to be opened to an ambient air.

5. The straddle-type four wheeled all terrain vehicle according to Claim 4, wherein the frame to which the check valve is connected is an upper frame that forms an upper portion of the body frame and supports the seat.

6. The straddle-type four wheeled all terrain vehicle according to Claim 3, further comprising:

a fuel inlet provided in a portion formed by upwardly extending part from an upper surface of the fuel tank on one of right and left sides of the fuel tank;

5 an air reservoir provided below the fuel inlet, the air reservoir having a first breather opening to which a first breather hose is connected; and

a second air breather opening provided in the upper face of the fuel tank on the other side of the fuel tank, to which a second breather hose is connected.

10 7. The straddle-type four wheeled all terrain vehicle according to Claim 3, further comprising:

a catch tank interposed between the collecting pipe and the check valve and connected to the collecting pipe and the check valve.

15 8. The straddle-type four wheeled all terrain vehicle according to Claim 7, wherein the catch tank is placed at a position higher than the first and second breather openings.

20 9. The straddle-type four wheeled all terrain vehicle according to Claim 7, wherein the catch tank and the check valve are integrally provided.

10. The straddle-type four wheeled all terrain vehicle according to Claim 7, wherein the catch tank and the check valve are directly connected to each other.

11. The straddle-type four wheeled all terrain vehicle according to Claim 3, wherein the frame has a structure of a double-cradle type.

12. The straddle-type four wheeled all terrain vehicle according to Claim 11, wherein the fuel tank is substantially accommodated in a space surrounded by upper frames, lower frames, and rear upper frames.

13. The straddle-type four wheeled all terrain vehicle according to Claim 3, wherein the collecting pipe is a T-shape joint.

14. The straddle-type four wheeled all terrain vehicle according to Claim 4, further comprising:

an insertion portion with barb for preventing disengagement from the frame, having a breather hose connecting the frame and the ambient-side opening end of the check valve, and the insertion portion being formed integrally with a connected end of the breather hose to the frame.

15. The straddle-type four wheeled all terrain vehicle according to Claim 3, wherein the check valve has two chambers, in which an air-intake side chamber and a discharge side chamber are independently formed.